



Cubicle Spaces based in Hyderabad specializes in restroom partitions and cubicles. We not only manufacture these partitions & cubicles as per preconceived designs in different shades, shapes and sizes to suit the décor, but also install and service them at customer's premises. We are a startup company with a young team of eminent engineers known for their imagination, out-of-the-box thinking and ingenuity. This reflects in the quality we deliver and the accolades we receive for execution ahead of scheduled time.

Being a new entrant in the field, we know we have to go that extra mile to gain credibility and attract the prospects. This is why we are putting in our 200% to ensure that our accomplishments are exemplary. We spare no pains to give a new experience to delight our customer.



CONTENTS

| | VISION & MISSION | 04 |
|-------------|--------------------------------|----|
| | OUR SERVICES SPECTRUM | 05 |
| | CS Nylon Polish | 06 |
| | CS Silvanus (Aluminum with SS) | 10 |
| | CS Pure - SS | 14 |
| | CS Routing - SS | 18 |
| | CS Droopy | 22 |
| | CS Ceiling Hungs SS | 26 |
| | CS Shoe Boxup | 28 |
| | CS Round SS Pipe | 30 |
| | CS PD Door | 32 |
| | CS Urinal Partition | 34 |
| > | CS Childern (TP) | 36 |
| > | CS Lockers | 38 |
| > | Clientele | 41 |
| > | Accessories | 42 |
| > | SS Hardware Set | 43 |
| > | Color Shades | 44 |
| \ | Our Values | 46 |
| \ | Features | 47 |



VISION & MISSION

We have just begun our journey. But we want to be a front-runner, a trailblazer and a leader in restroom partitions & cubicles. Our aim is to be the most sought after name in this specialized business-line. Today we have an impressive list of clients. We want to enlist more number of national clients to our portfolio. This means we have to have a network of offices to ensure our proximity to our customers from across the country. We have to expand our product range and services spectrum so that we are resourceful. We must continue to be obsessed with quality and reliability of the highest order so as to delight our discerning customer.



OUR SERVICES SPECTRUM

Innovation is the key to customer engagement and ultimately customer delight. We have added quite a few revolutionary products to our services spectrum. These include: Our offerings are so comprehensive that the customer can avail of all allied products and services at one place, under one roof.

Steam Rooms



Steam rooms or steam baths, it's a small room made up of glass for the accommodation of 3-4 users at a time, which is filled with steam used for moist therapy and muscle relaxation.

Shower Cubicles



a shower cubicle is a minimalist styled showering space that makes a beautiful style statement, especially in a contemporary bathroom.

Sauna Bath



It's a chamber or room usually made up of Cedar or Spruce/Pine Wood designed as a place to experience dry and wet heat therapy.

Steam Bath Generators



In a steam bath it is the generator's job to heat water to this temperature. Water passes from a water line into the steam generator.

Toilet Cubicles



An incredible assortment of restroom products, comprising of aesthetically designed Restroom Cubicles, specially adapted Hand Holds for physically disabled and impressive Privy Divider Panels.

Sauna Bath Heaters



A hot, humid atmosphere created in a small enclosed area (often paneled in cedar) by pouring water on rocks heated.

Urinal Partitions



Urinal partitions form barriers along the sides of urinals. Urinal without pilasters attach to walls while urinals with pilasters anchor to the wall and floor for improved stability.

Storage Lockers



A storage compartment for clothes & valuables; usually it has a lock. They are suitable for high humidity areas such as fitness clubs, sauna rooms, swimming pools, retail environments & sports centers.



CS Nylon Polish

Presenting serenity and simplicity at its finest, the CS Nylon Polish series is the typical model for restroom cubicles which provide easy construction and high durability. The CS shine Nylon cubicle model is aesthetically designed with the extruded anodised aluminum top rail and polyamide hardwares, for giving a clean and a lean look to the restroom setup. its intermediate panel comprises of one undivided piece and has no joints in between. all pilasters as well as doors are 12 mm or 18mm thick with chamfered edges. Thus, for those who like minimalistic designs, CS shine Nylon is the answer.





ADJUSTABLE LEG



INDICATOR LOCK



COAT HOOK



Hardware Colour Range



GRAVITY HINGE



DOOR KNOB



TOP RAIL (BLACK) POWDER COATED ALUMINIUM





F-CHANNEL (BLACK) POWDER COATED ALUMINIUM





Black





Gray






Ivory






DOOR STOPER (BLACK)
POWDER COATED
ALUMINIUM







Front View (EU)



CU-Corner Unit



Front View (CU)



Hardware Fixing Details


The adjustable foot that supports the pilasters is made from corrosion resistant (Polyamide 6) and its base is anchored to the floor with nylon plug inserted into ground with nylon plug inserted into ground with stainless steel screws. There is ground clearance of 150 mm. Nylon U-channels are used to attach the divider panel with stainless steel (Grade 304) screw inserts to the wall as well as the mid panel. Nylon top rail is used to fix the pilasters at the top. Door stopper channel provides the non-rebating doors and connecting panels with extra ordinary look. Further the doors are incorporated with the noise deafening tape to reduced the noise effect.





► Hardware Detailing

Each restroom cubicle is equipped with the following set of hardware fittings:



| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2035 | 2035 |
| Width of door | 600 | 900 |
| Height of door | 1785 | 1785 |
| Ground clearance | 150 | 150 |
| | | |

CS Silvanus (Aluminum with SS)

CS Silvanus is developed for providing higher endurance and spectacular design. Magnificent design united with great functional features makes it an innovative restroom series offering uncompromised quality at an economical price along with extraordinary benefits. Engineered with 12mm or 18mm thick high pressure Compact Laminate, this model comes with the combination of stainless steel hardwares with extruded anodised aluminum top rail and fixing channels. Thus, it's a valuable choice for users who desire a highly adaptable restroom space, preferred across the globe for its budget effective product detailing and matchless quality.





ADJUSTABLE LEG STAILESS STEEL 316 SS




INDICATOR LOCK - STAILESS COAT HOOK - STAILESS STEEL 304 SS STEEL 304 SS






GRAVITY HINGE - STAILESS DOOR KNOB- STAILESS STEEL 304 SS STEEL 304 SS






TOP RAIL (SILVER) POWDER COATED ALUMINIUM



U-CHANNEL (SILVER) POWDER COATED ALUMINIUM





DOOR STOPER (SILVER) POWDER COATED ALUMINIUM




CUBICLE SPACES

F-CHANNEL (SILVER) POWDER COATED **ALUMINIUM**







Front View (EU)



CU-Corner Unit



Front View (CU)



Hardware Fixing Details


The adjustable foot that supports the pilasters is made from stainless steel (Grade 304) and its base is anchored to the floor with nylon plug, fixed into ground with stainless steel screws. There is a ground clearance of 150 mm. Stainless Steel U-channels are used to attach with the divider panels to the wall as well as the mid panel with stainless steel (Grade 304) screw inserts. Stainless Steel top rail coated in stainless steel colour is used to fix the pilasters at the top. Doors are incorporated with the noise deafening tape to reduce the noise effect. All other fittings like hinges, coat hook, adjustable foot and lock set/latch indicator is manufactured in stainless steel.





► Hardware Detailing

Each restroom cubicle is equipped with the following set of hardware fittings:



| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2000 | 2000 |
| Width of door | 600 | 900 |
| Height of door | 1785 | 1785 |
| Ground clearance | 150 | 150 |
| | | |

CS Pure - SS

CS Pure -SS Stainless Steel is developed for providing higher endurance and spectacular design. Magnificent design united with great functional features makes it an innovative restroom series offering uncompromised quality at an economical price along with extraordinary benefits. Engineered with 12mm or 18mm thick high pressure Compact Laminate, this model comes with the combination of stainless steel (SS 316 & SS 304) hardwares with SS 304 top rail and fixing channels. it's a valuable choice for users who desire a highly adaptable restroom space, preferred across the globe for its budget effective product detailing and matchless quality.





SHOE-BOX UP STAINLESS STEEL 316 SS




INDICATOR LOCK - STAINLESSCOAT HOOK - STAINLESS STEEL 304 SS STEEL 304 SS








GRAVITY HINGE - STAINLESS DOOR KNOB - STAINLESS TOP RAIL- STAINLESS STEEL STEEL 304 SS STEEL 304 SS 304 SS



U-CHANNEL STAINLESS STEEL 304 SS




DOOR STOPER STAINLESS STEEL 304 SS




CUBICLE SPACES

F-CHANNEL STAINLESS STEEL 304 SS







Front View (EU)



CU-Corner Unit



Front View (CU)



Hardware Fixing Details


The adjustable foot that supports the pilasters is made from stainless steel (Grade 304) and its base is anchored to the floor with nylon plug, fixed into ground with stainless steel screws. There is a ground clearance of 150 mm. Stainless Steel 304 U-channels are used to attach with the divider panels to the wall as well as the mid panel with stainless steel (Grade 304) screw inserts. Stainless Steel top rail coated in stainless steel colour is used to fix the pilasters at the top. Doors are incorporated with the noise deafening tape to reduce the noise effect. All other fittings like hinges, coat hook, adjustable foot and lock set/latch indicator is manufactured in stainless steel.





► Hardware Detailing

Each restroom cubicle is equipped with the following set of hardware fittings:



| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2000 | 2000 |
| Width of door | 600 | 900 |
| Height of door | 1785 | 1785 |
| Ground clearance | 150 | 150 |

CS Routing - SS

Experience Classique collections another style-invincible, developed from 12 mm multi-layer high pressure Compact Laminate to give unparalleled performance and a stainless steel top rail for providing extra strength and stability. This 12 mm routing glance with shoe box up model replace door stopper with both side routing edges of door, Rest of the hardwares like hinges, locks, door knobs and coat hooks are also produced in stainless steel. Thus, 12 mm or 18mm routing glance is the perfect selection for your restroom space designing.





SHOE-BOX UP STAINLESS STEEL 316 SS




INDICATOR LOCK - STAINLESSCOAT HOOK - STAINLESS STEEL 304 SS STEEL 304 SS






GRAVITY HINGE - STAINLESS DOOR KNOB - STAINLESS TOP RAIL- STAINLESS STEEL STEEL 304 SS STEEL 304 SS 304 SS








U-CHANNEL STAINLESS STEEL 304 SS




DOOR STOPER STAINLESS STEEL 304 SS




CUBICLE SPACES

F-CHANNEL STAINLESS STEEL 304 SS







Front View (EU)



CU-Corner Unit



Front View (CU)



Hardware Fixing Details


The adjustable foot that supports the pilasters is made from stainless steel (Grade 304) and its base is anchored to the floor with nylon plug, fixed into ground with stainless steel screws. There is a ground clearance of 150 mm. Stainless Steel U-channels are used to attach with the divider panels to the wall as well as the mid panel with stainless steel (Grade 304) screw inserts. Stainless Steel top rail coated in stainless steel colour is used to fix the pilasters at the top. Doors are incorporated with the noise deafening tape to reduce the noise effect. All other fittings like hinges, coat hook, adjustable foot and lock set/latch indicator is manufactured in stainless steel.





► Hardware Detailing

Each restroom cubicle is equipped with the following set of hardware fittings:



| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2000 | 2000 |
| Width of door | 600 | 900 |
| Height of door | 1785 | 1785 |
| Ground clearance | 150 | 150 |

CS Droopy

CS Droopy are tailor-made for restrooms. These cubicles have a clear floor concept which is very friendly as far as the maintenance is concerned. These cubicles can be easily installed due to their contemporary designs. Their floater concept gives them a natural yet classic touch. To enhance the exquisiteness, all doors are 12 mm or 18mm thick and their stainless steel hardware fittings make these cubicles highly durable and longlasting. These cubicles are recommended for commercial complexes, sports clubs and gyms etc.







INDICATOR LOCK - STAILESS COAT HOOK - STAILESS GRAVITY HINGE - STAILESS DOOR KNOB- STAILESS STEEL 304 SS STEEL 304 SS STEEL 304 SS










TOP RAIL POWDER COATED ALUMINIUM



U-CHANNEL STAILESS STEEL 304 SS




DOOR STOPER STAILESS STEEL 304 SS



F-CHANNEL STAILESS STEEL 304 SS





Hardware Fixing Details


The aluminum hollow D shape Toprail (Grade- 6063 T-6) is first held to the concrete wall on both ends by MS 'L' angel which is fixed onto the wall with stainless steel screws. The front pilaster are fixed into the Toprail with stainless steel screw insert on the back side on Toprail, the SS U-Channel are attached with the divider panel to the wall as well as the mid panel. There is ground clearance of 150mm.





► Hardware Detailing

Each restroom cubicle is equipped with the following set of hardware fittings:



| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of divider | 1785 | 1785 |
| Height of entire cubicle | 2100 | 2100 |
| Width of door | 600 | 900 |
| Height of door | 2035 | 2035 |
| Ground clearance | 150 | 150 |

CS Ceiling Hugs SS

Add classic wings to your restrooms Innovation with simplicity and splendor, Cubicle Spaces presents you Classique Wings, a sparkling new assortment of restroom cubicles. Planned under the blueprints of aesthetics, this ceiling hung model has been designed to further enhance the beauty of your washrooms, while creating desirable spacels unique shape and profile provide ample space to wipe the floors easily and without any hassles. So, introduce these exclusive masterworks to your rest rooms and enrich your creations, the contemporary and classic way.







Alloy Privacy Indicator




Alloy Privacy Thumb Turn





Stainless Steel Shoe Box Up




Stainless Steel Gravity Hinges









Dimension Detailing

| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2035 | 2035 |
| Width of door | 600 | 900 |
| Height of door | 1830 | 1830 |
| Ground clearance | 150 | 150 |

Note: Classique's Evergreen comes with stainless steel (Grade 304) top rail arrangement
On special demand, overall height of CWP Ever Popular SS Pipe restroom cubicle can be increased up to 2100 mm

CS Shoe Boxup

Experience Classique collections another style-invincible, developed from 12 mm multi-layer high pressure Compact Laminate to give unparalleled performance and a stainless steel top rail for providing extra strength and stability. This 12 mm shoe box up model replaces the standard adjustable foot with a cleaner stainless steel box, located at the bottom to provide a clean line design. Rest of the hardwares like hinges, locks, door knobs and coat hooks are also produced in stainless steel. Thus, 12 mm or 18mm shoe box up model is the perfect selection for your restroom space designing.








Stainless Steel Shone Box Up




Stainless Steel Gravity Hinge




Head Rail Tubular Holder




Alloy Privacy Thumb Turn






Front View (EU)



| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2100 | 2100 |
| Width of door | 600 | 900 |
| Height of door | 1710 | 1710 |
| Ground clearance | 110 | 110 |

CS Round SS Pipe

Add classic wings to your restrooms Innovation with simplicity and splendor, Greenlam Sturdo presents you Classique Wings, a sparkling new assortment of restroom cubicles. Planned under the blueprints of aesthetics, this Round SS Pipe with bracket model has been designed to further enhance the beauty of your washrooms, while creating desirable spacelst.s unique shape and profile provide ample space to wipe the floors easily and without any hassles. So, introduce these exclusive masterworks to your rest rooms and enrich your creations, the contemporary and classic way.







INDICATOR LOCK STAINLESS STEEL 304 SS



COAT HOOK STAINLESS STEEL 304 SS



GRAVITY HINGE STAINLESS STEEL 304 SS




DOOR KNOB STAINLESS STEEL 304 SS



WALL BRACKET STAILESS STEEL 304 SS



TOP RAIL STAILESS STEEL 304 SS



U-CHANNEL STAILESS STEEL 304 SS




DOOR STOPER STAILESS STEEL 304 SS




CORNER HOLDER STAILESS STEEL 304 SS



TUBULAR HOLDER STAILESS STEEL 304 SS







| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1750 |
| Height of entire cubicle | 2035 | 2035 |
| Width of door | 600 | 900 |
| Height of door | 1830 | 1830 |
| Ground clearance | 110 | 110 |

CS PD Doors

A combination of style and stability. Vibrance's Splendid is ideal for renovation projects, using existing intermediate brick walls. With the usage of existing intermediate brick walls this model fits in perfectly as it suffices only the door requirements. Thus, Splendid replaces the traditionally used door setup with contemporary looking masonry walls. This model comes with a 12 mm or 18mm thick Compact Laminate doors in varied colors and designs along with aluminum and nylon polyamide (Grade 6) fittings.







Nylon Polymide Thumb-Turn & Indicator




Stainless Steel D-Post Channel




Nylon Polymide Coat Hook




Indicator Lock Set





Top View (EU)



Front View (EU)

| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|---|
| Door Width of cubicle | 600-900 | As this model only uses door applications the |
| Height of entire cubicle | 1980 | dimensions for physically challenged setup will |
| Height of door | 1830 | depend on the site's walls |
| Ground clearance | 150 | 150 |

Urinal Partitions

Give a new meaning to your restroom space with vibrant coloured Privy Divider Panel Laminates (urinal partition) coupled with rust resistant stainless steel fittings. Composed with superior product features to provide greater privacy and hygiene to the users. The urinal partition are manufactured using 12 mm or 18mm thick Compact Laminates, in accordance to IS-0002046-199/BSEN-438(1)-91. Further its product composition consists of one undivided piece, chamfered edges with no joints in between which provides a cleaner space. Equipped with the comprehensive series of conventional designs, Privy Divider Panels are available I exciting colours and shapes and promises to give your restroom space an exquisite yet organised look.











Hardware Detailing

Each divider panel is equipped with the following hardware fittings:
Stainless steel L-clamps is used to attach the divider to the wall

Hardware Fixing Details


Stainless steel L-clamps hardware fittings along with SU-304 screws are used to fix the urinal partitions on the wall.







Stainless Steel L-Clamps

EU-Enclosed Unit







| Standard Dimensions | General (mm) |
|-----------------------|--------------|
| Total Height | 1000-2000 |
| Depth | 450-550 |
| Gap from ground floor | 500-600 |

CS Children TP


A lively, colourful, safe and sturdy world, especially designed to enhance the artistic of the kinds. As its unique shape open the world of imagination for kids, the vivid use of colours craft different strokes of creativity on kids' minds. Made using stainless steel hardware and accessorileikse door knob, gravity hinges thumb turn lockset indicators coat hooks, these cubicles are designed for a longer durability. The U-channels, SS-shoe box plate, MS- base plate, rubber noise deafening tape, screws and wall plugs add that extra toughness to these restroom cubicles. After all crafting such perfection is not child's play.













EU-Enclosed Unit







Dimension Detailing

| Standard Dimensions | General (mm) | Physically Challenged (mm) |
|--------------------------|--------------|----------------------------|
| Width of cubicle | 1000 | 1500 |
| Depth of cubicle | 1500 | 1700 |
| Height of divider | 1200 | 1200 |
| Height of entire cubicle | 1500 | 1500 |
| Width of door | 600 | 900 |
| Height of door | 1250 | 1250 |
| Ground clearance | 100 | 100 |
| | | |

CS Lockers

CS lockers open up a new generation of locker rooms. A world of ultra-modern and exceptionally smart storage solutions made using CWP compact laminates. Brilliant designed and widely durable, they are suitable for high humidity areas such as fitness clubs, sauna rooms, swimming pools, retail environments and sports centers.

Available in a wide range of styles, sizes, configurations and colors to achieve a perfect match with your services and interior designs. These systems are extra-tough, environment-friendly, easy to install and even easier to use. What's more, they come with unique Anti-bacterial property that makes them a superb choice for hygiene concern areas.

Highlights of storage Lockers

- Made using Anti-bacterial compact laminates (3mm to 9mm)
- Made using heavy duty Stainless Steel channel
- Provision of 3 locking systems
- Customer lock
- Inbuilt lock
- Keyless lock
- Comes with an option of different base mechanism
- Stainless Steel leg base
- Compact Laminates base
- Concrete base










1 Tier Locker





2 Tier Locker



| Dimension Detailing | | |
|------------------------|-----------|--|
| Standard Dimensions | Size (mm) | |
| Width of locker | 300 | |
| Depth of Locker | 450 | |
| Height of Locker | 895 | |
| | | |

3 Tier Locker



| Dimension Detailing | | |
|------------------------|-----------|--|
| Standard Dimensions | Size (mm) | |
| Width of locker | 300 | |
| Depth of Locker | 450 | |
| Height of Locker | 594 | |

4 Tier Locker



| Dimension Detailing | | |
|------------------------|-----------|--|
| Standard Dimensions | Size (mm) | |
| Width of locker | 300 | |
| Depth of Locker | 450 | |
| Height of Locker | 443 | |

5 Tier Locker



| Dimension Detailing | | |
|------------------------------------|------------|--|
| Standard Dimensions | Size (mm) | |
| Width of locker Depth of Locker | 300 450 | |
| Height of Locker | 353 | |

6 Tier Locker



| Dimension Detailing | | |
|--|-------------------|--|
| Standard Dimensions | Size (mm) | |
| Width of locker Depth of Locker Height of Locker | 300 450 292 | |

Z Tier Locker



| Dimension Detailing | | |
|--|------------------------|--|
| Standard Dimensions | Size (mm) | |
| Width of locker Depth of Locker Height of Locker | 300 450 1200/591 | |



CLIENTELE









































CERTIFICATIONS













Accessories





SS Hardware Set





















Color Shades





Color Shades



Our Values


Quality is a watchword at Cubicle World. Our impeccable quality, unique work ethos and eminent service back-up have helped us earn our spurs. We have an ever-growing list of customers who are leaders in their domains. We are perpetually engaged in meeting their exacting needs and surpassing their expectations. Though most of them are repeat customers, we treat every order as new and challenging. This approach helps us to pool all our resources and deliver best-in-class products of superlative quality and workmanship to our discerning customers. In a nutshell, our business is built on their unwavering trust in us.




HPL Laminated Board Sheet

Technology at work

The High Pressure Laminated boards, conforming to IS: 20146, are manufactured under a special process and a strict quality control regimen. The board is made out of cellulosic material whereas its core is made of layers of cellulose which are impregnated with thermosetting phenolic resin. The decorative design paper on either side of the board is impregnated with special melamine resin. This is manufactured under a very high temperature and a high pressure in a multi-daylight press in which resin polycondensation takes place to give the end product the desired extra toughness and durability.







CUBICLE SPACES PRIVATE LIMITED

Registered Office: 13-1-75/1, Mothi Nagar, Erragadda, Hyderabad-500 018.

Branch Office: HDIL Industrial Park, Bldg. 16, Gala No.2, Village Chandansar, Virar (East) 401305.

+91 99669 99886 | +91 79957 22263 | +91 79957 22270

sales@cubiclespaces.com | accounts@cubiclespaces.com | www.cubiclespaces.com